


## Weatherproof Telephone Sounder and Lighting

Model: D13



Housing	Industrial standard coated steel body	
Colour	Red, Blue, Green, Amber	
Protection degree	IP66 (IEC 529)	
Operating position	Wall mounting	
Temperature range	Operation - 20 to + 70°C	Storage - 40 to + 75°C
Weight	0.8 kg	
Signaling device	The signalling device is telephone line is powered by electricity.	
Power supply	Pair cable / Telephone line powered	
Volume	Approx. 90 dB (A) at 1m distance	
Beacon	Beacon flashing when telephone ringing	
Call voltage	40 VAC to 90 VAC	
Exchange voltage	24 VDC to 63 VDC	

■ Available Colors



D13-DC12V-Blue



D13-DC12V-Red



D13-DC12V-Green



D13-DC12V-Amber

DC powered D13  
for analogue telephone

DC powered D13  
for VoIP telephone


Telephone line powered D13  
for analogue telephone



### ■ General View



### ■ Dimensions



Web: [www.koontech.com](http://www.koontech.com)

Email: [marketing@koontech.com](mailto:marketing@koontech.com)

Tel: (Shenzhen Office) +86 755 2744 8753 / (HK Office) +852 3460 4652

Shenzhen Office: 1001 Block A Building T3, Yifang Center, Bao'an, Shenzhen, Guangdong, China

HK Office: Unit C, 2/F, Ka To Factory Building, 2 Cheung Yue Street, Cheung Sha Wan, Kowloon, Hong Kong

Factory: KNTech Building, Phoenix Mountain, Limhai Zone, Shajiao Community, Humen, Dongguan, China