Analogue Telephone Explosion Proof Telephone

Model: KNEx5 Analogue



Key Functional Features & Benefits

- Robust aluminium alloy die-cast body, Vandal & tamper-resistanthardware.
- Waterproof rating IP66 dust proof.
- Full keypad with memory, dialling 10 groups of numbers stored in the memory.
- Magnetic reed hook-switch.
- Heavy Duty handset with hearing Aid compatible receiver, Noise canceling microphone.
- Handset with industrial strong curly cord .
- Stainless Steel keypad keep waterproof and dusty proof.
- with external safety ring indicator D21 with 8Q 0.5W.
- Door cover: orient automatically and good self - closing, convenient for use.
- Temperature range from -20 degree to +55 degree.
- Powder coated in UV stabilized polyester finish.
- Application: Hazardousdust andgas atmospheres,petrochemical industry,Tunnel,metro, railway, LRT, speedway, marine, ship,offshore, mine, power plant, bridge etc.

Specitfication

DTMF dialling

Built-in 8ohm 0.5W

Telephone line power supply DC 24V-48V


Typesof protection	II 2G Ex db ib IIB T5 Gb -20℃ to 55℃
MTBF	100000hours
Sound level of ringing	over 70dB(A).At 50cm distance.
Speed dialling keypad	Super strong function is available for dialling 10 groups of numbers stored in the memory
Housing	Construction robust aluminium alley die-cast body
Unit size	345*262*161mm
Weight	10.65kg
Environment conditions	Ambient temperature: -20℃ to 55℃. Relative humidity:10%~95% Atmospheric pressure: 86~106Kpa Circumstance noise:less than 60dB(A) Degree of protection: IP66



KNTECH's Partners

HUAWEI · ALSTOM · THALES · SIEMENS · HITACHI Inspire the Next · ABB
PARSONS · 中国中车 CRRC · MTR · aramco · NSW sydney METRO · दिल्ली मेट्रो रेल कॉरपोरेशन लिमिटेड DELHI METRO RAIL CORPORATION LTD.
MRT CORP · ADNOC · ST Engineering · 信興集團 SHUN HING GROUP · GTECH · 中電控股 CLP Holdings
PCCW · 中国交建 · AVAYA · EV Dynamic · Honeywell · NEC
ZTE · PARSONS Parsons Delcan Inc. · 中核集团 CNNC · FHC · 中国铁建股份有限公司 CHINA RAILWAY CONSTRUCTION CORPORATION LIMITED · 中国海洋石油有限公司


Interface Connection Schematic Diagram



b : Telephone Line

c : Headset and D21 8Ω 0.5W


User Programming




pick up the Handset, press the keyboard storage key+address key (digital 0 --- 9) +phone number+storage key, and then hang up.

Dimensions

Unit: mm





Web: www.koontech.com
Email: marketing@koontech.com
Tel: (Shenzhen Office) +86 755 2744 8753 / (HK Office) +852 9068 2799
Shenzhen Office: 1001 Block A Building T3,Yifang Center, Bao'an, Shenzhen, Guangdong, China
HK Office: Unit C, 2/F, Ka To Factory Building, 2 Cheung Yue Street, Cheung Sha Wan, Kowloon, Hong Kong
Factory: KNTECH Building. Phoenix Mountain, Limhai Zone, Shajiao Community, Humen, Dongguan, China